

GAU 1623 B
#1/ MW

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to Assistant Commissioner for Patents, Washington, D.C. 20231 on

November 20, 2001

Rhonda Etienne
Rhonda Etienne

November 20, 2001
Date

TECH CENTER 1600/2900

RECEIVED
DEC 17 2001

Serial No: 09/483,248
Filed: January 14, 2000
Applicant: Ken K. Tseung, et al.
Title: **METHOD AND APPARATUS FOR AUTOMATIC TISSUE STAINING**
Art Unit: 1623
Examiner: Mahreen Chaudhry
Atty Dock: LABV-03

Cincinnati, Ohio 45202

November 20, 2001

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

In accordance with the duty of candor and good faith which is imposed by Rule 56 (37 C.F.R. §1.56), the supplemental art listed on the attached form PTO-1449 is called to the attention of the U.S. Patent and Trademark Office in connection with the above-identified patent application. Copies of the cited references are attached hereto. No representation is made that the cited art is the only art or that the cited art represents the best art. This art was cited in an International Search Report of International Application No. PCT/US01/00512 (International Publication No. WO 01/51909).


The Examiner is urged to consider the cited references listed on the attached form PTO-1449, and to make an independent decision with respect to materiality.

It is submitted that the cited references do not disclose or render obvious the subject matter claimed in the present application.

In accordance with 37 C.F.R. §1.97(c), a check in the amount of the fee set forth in 37 C.F.R. §1.17(p) of \$180.00 is enclosed herewith. If any additional fee is required, please charge Deposit Account No. 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.



Beverly A. Lyman
Reg. No. 41,961

2700 Carew Tower
441 Vine Street
Cincinnati OH 45202
(513) 241-2324 (office)
(513) 421-7269 (facsimile)